Inclusive Recreation Resource Center

Gift Shop/Pro Shop Checklist		
SHOP1	Agency Name:	
SHOP2	Total number of gift or pro shops assessed:	shops
SHOP3	Name/ location of the gift or pro shop:	•
SHOP4	Is there a continuous unobstructed route of travel from entrance to the shop?	□ yes □ no □ n/a □ photo
SHOP5	Is the route of travel well-lit?	☐ yes ☐ no ☐ n/a ☐ photo
SHOP6	Describe the surface of the route of travel:	
SHOP7	Slope of route of travel (at its steepest incline):	% (enter 0% if flat)
SHOP8	Width of route of travel (at its narrowest point):	inches (at least 36")
SHOP9	Does the shop have an entrance in addition to the main entrance?	□ yes □ no □ n/a □ photo
SHOP10	If yes, clear open width of door to the shop:	inches (at least 32")
SHOP11	Opening force of door:	pounds (5 pounds or less)
SHOP12	Handle type entering : ☐ automatic ☐ knob ☐ pull ☐ push/pull pad ☐ entry set-top button ☐ lever ☐ push plate ☐ other:	dle/bar
SHOP13	Handle type exiting : ☐ automatic ☐ knob ☐ pull ☐ push/pull pad ☐ entry set-top button ☐ lever ☐ push plate ☐ other:	dle/bar
SHOP14	Clear space on pull side of door:	inches (at least 18")
SHOP15	Overall, is there a clear route of travel throughout the shop? (minimum of 36")	□ yes □ no □ n/a □ photo
SHOP16	Is the check-out counter on a route of travel that is at least 36" wide?	□ yes □ no □ n/a □ photo
SHOP17	Height of counter:	inches (36" or less)
SHOP18	If counter is higher than 36", is a fold-out shelf or alternate space available to make purchases?	□ yes □ no □ n/a □ photo
SHOP19	Is the check-out area large enough for wheelchair maneuvering? (60" circle)	□ yes □ no □ n/a □ photo
SHOP20	Comments/additional information about gift shop or pro shop:	

Gift Shop/Pro Shop Checklist Information

Sales and Service Counters, Teller Windows, Information Counters

In areas used for transactions where counters have cash registers and are provided for sales or distribution of goods or services to the public, at least one of each type shall have a portion of the counter with a maximum height of 36 inches above the finish floor. It shall be on an accessible route. Such counters shall include, but are not limited to, counters in retail stores, and distribution centers.

