Inclusive Recreation Resource Center at SUNY Cortland

| Miniature Golf Checklist | | |
|--------------------------|---|--------------------------|
| MINI1 | Agency Name: | () |
| MINI2 | Number of miniature golf courses assessed: | mini golf courses |
| MINI3 | Name/location of miniature golf course: | |
| | | |
| MINI4 | Is there a continuous unobstructed route of travel from the check-in area to the first hole on the miniature golf course? | □ yes □ no □ n/a □ photo |
| MINI5 | Is the route of travel well-lit? | □ yes □ no □ n/a □ photo |
| MINI6 | Describe the surface of the route of travel: | |
| MINI7 | Slope of route of travel (at its steepest incline): | % (enter 0% if flat) |
| MINI8 | Width of route of travel (at its narrowest point): | inches (at least 36") |
| MINI9 | How many holes are in this miniature golf course? | holes |
| MINI10 | How many holes can be accessed via an accessible route (36" wide)? | holes |
| MINI11 | How many accessible holes are on this course? | holes |
| MINI12 | Are accessible holes indicated with signage or markers? | □ yes □ no □ n/a □ photo |
| MINI13 | Are the accessible holes consecutive? | □ yes □ no □ n/a □ photo |
| MINI14 | Is there an accessible route from the last accessible hole to the course exit? | □ yes □ no □ n/a □ photo |
| MINI15 | Measure the size of start of play areas? (Min 48"x60" recommended to allow players to position themselves for their first shot) | inches by inches |
| MINI16 | Are all areas within holes where a golf ball <i>might rest</i> within 36" of an accessible route? | □ yes □ no □ n/a □ photo |
| MINI17 | Comments/additional information regarding miniature golf course: | |

Miniature Golf Accessibility Tool Information

Definitions for Miniature Golf:

• Accessible miniature golf hole is a hole located on an accessible route of travel. In order to be accessible, the hole must be one where a player is able to reach the golf ball anywhere it lands within the area of that hole. This means that all areas within holes where golf balls rest shall be within 36 inches maximum of a clear floor or ground space that is 36 inches wide minimum and 48 inches long minimum with a running slope not steeper than 1:20. The clear floor or ground space shall be served by an accessible route.

Additional Information for completing Miniature Golf checklist:

Minimum Number - At least 50 percent of holes on miniature golf courses shall be accessible.

Where possible, providing access to all holes on a miniature golf course is recommended. If a course is designed with the minimum 50 percent accessible holes, designers or operators are encouraged to select holes which provide for an equivalent experience to the maximum extent possible.

Miniature Golf Course Configuration - Miniature golf courses shall be configured so that the accessible holes are consecutive. Miniature golf courses shall provide an accessible route from the last accessible hole complying to the course entrance or exit without requiring travel through any other holes on the course.


EXCEPTION: One break in the sequence of consecutive holes shall be permitted provided that the last hole on the miniature golf course is the last hole in the sequence.


Miniature Golf Course Configuration - Where only the minimum 50 percent of the holes are accessible, an accessible route from the last accessible hole to the course exit or entrance must not require travel back through other holes. In some cases, this may require an additional accessible route. Other options include increasing the number of accessible holes in a way that limits the distance needed to connect the last accessible hole with the course exit or entrance.


Start of Play - A clear floor or ground space 48 inches minimum by 60 inches minimum with slopes not steeper than 1:48 shall be provided at the start of play.

Golf Club Reach Range Area - The golf club reach range applies to all holes required to be accessible. This includes accessible routes provided adjacent to or, where provided, on the playing surface of the hole.

All areas within holes where golf balls rest shall be within 36 inches maximum of a clear floor or ground space 36 inches wide minimum and 48 inches long minimum having a running slope not steeper than 1:20. The clear floor or ground space shall be served by an accessible route.







Accessible Routes Adjacent to Playing Surfaces

Golf Club Reach Range Area

Start of Play Area

Additional Resources:

 $\textbf{U.S.} \ Access Board: \\ \underline{\textbf{http://www.access-board.gov/guidelines-and-standards/recreation-facilities/guides/minature-golf/accessible-miniature-golf-courses}$